



Cross City Tunnel
Stack Emissions Monitoring Report
March 2020

Ref: DR.2003CCT
Issue Date: 7 April 2020
Report prepared by: Tim Allfrey

Norditech Pty Ltd
Unit 36/70 Holbeche Road
Arndell Park NSW 2148

m: +61 403 248 038
p: + 61 2 9622 6327
f: +61 2 9622 6340
bruno.nourdine@norditech.com.au
www.norditech.com.au

Document Control

Revision	Date	Details	Prepared By	Approved By
0	8/03/2020	Original	TA	BN

Prepared by



Tim Allfrey
 7 April 2020

Approved by



Bruno Nourdine
 7 April 2020

Distribution

Format	Recipient	Details	Quantity
PDF	Brett Dixon	Brett.Dixon@ventia.com.au	1
PDF	Orla Manning	Orla.Manning@ventia.com.au	1

Contents

Document Control.....	ii
Distribution	ii
Contents.....	iii
Executive Summary.....	2
Monitored Parameters	3
Glossary	4
Summary of results.....	5
Validation Table.....	6

Executive Summary

Data capture rates can be found in the Summary of Results table on page 5. Explanations for missing data can be found in the Data Validation table on page 6.

There are no data available for VOC parameters from 20/03/2020 17:15 to 23/03/2020 09:50 due to an instrument fault.

There were no readings over the specified limits for the reporting period.

March 2020 Exceedances						
	Unit of measurement	Averaging Period	Total CO	Total NO _x	Total PM ₁₀	Total VOC
Concentration Limit	mg/m ³	1 hour	109	19	1	11
Number of readings over limit			0	0	0	0

Monitored Parameters

The Cross City Tunnel Stack Emissions Monitoring System has been designed to continuously monitor for the following gaseous and particulate parameters:

- CO (Carbon Monoxide)
- NO (Nitrogen Oxide)
- NO₂ (Nitrogen Dioxide)
- NO_x (Total Oxides of Nitrogen)
- Methane
- TNMHC (Total Non-Methane Hydrocarbons)
- PM₁₀ (Particulate matter less than 10 microns in aerodynamic equivalent diameter)
- PM_{2.5} (Particulate matter less than 2.5 microns in aerodynamic equivalent diameter)

Atmospheric parameters also monitored in the stack are:

- Temperature (°C)
- Pressure (kPa)
- Velocity (m/s)
- Relative Humidity (%)

Data are recorded to a data logger at 5 minute averaging periods, calculated from 10 second samples. All data are retrieved periodically, at least once per 24 hours, over a private 3G network, to a central WinCollect database, where data validation is performed to remove any data not deemed as valid. Data validation is performed versus the relevant standard, and/or as per the instrument manufacturers recommended guidelines.

Nightly calibrations for the gaseous analysers are performed between 1:30am and 2:05am. This data is removed from the report automatically, and is not included in the Validation Table.

Parameter	Method	Last Calibration Date	Applicable Standard	Uncertainty
NO NO ₂ NO _x	Chemiluminescence	20/03/2020	AS 3580.5.1	± 0.008 mg/m ³ ± 0.005 mg/m ³ ± 0.005 mg/m ³
CO	Gas filter correlation non-dispersive infrared photometer	20/03/2020	AS 3580.7.1	± 0.029 mg/m ³
Methane TNMHC	Flame Ionisation Detection	30/03/2020	AS 3580.11.1	± 0.0164 mg/m ³
PM ₁₀	Tapered Element Oscillating Microbalance	24/02/2020	AS3580.9/8 AS 4323.2 – 1995	± 3.6% of reading or ± 5µg/m ³ whichever is greater
PM _{2.5}		24/02/2020		± 3.6% of reading or ± 5µg/m ³ whichever is greater
Stack Temperature	Vaisala HMP235a	11/10/2016	US EPA 454-99-005	± 0.25 °C
Stack Pressure	Pitot Tube	-		± 0.3 kPa
Relative Humidity	Vaisala HMP235a	11/10/2016		± 5%
Stack Velocity	Pitot Tube	-	ISO 10780	TBA

Glossary

The following terms may be found throughout this report:

NO – Nitric Oxide

NO₂ – Nitrogen Dioxide

NO_x – Total Oxides of Nitrogen

CO – Carbon Monoxide

CH₄ - Methane

PM₁₀ – Particulate Matter of 10 microns or less (aerodynamic equivalent diameter)

PM_{2.5} – Particulate Matter of 2.5 microns or less (aerodynamic equivalent diameter)

MET – Methane

TNMHC – Total Non Methane Hydrocarbons

VOC – Volatile Organic Compounds

ppb – Parts Per Billion

ppm – Parts Per Million

µg/m³ – micrograms per cubic meter

mg/m³ – milligrams per cubic meter

m/s – meters per second

m³/s – cubic meters per second

kg/hr – kilograms per hour

g/5min – grams per 5 minutes

Summary of results

March 2020 Summary

Tonnes per month (5 minute data)

	NO	NO ₂	NO _x	CO	PM _{2.5}	PM ₁₀	Met.	TNMHC
Tonnes (Corrected)	0.466	0.092	0.806	1.824	0.025	0.030	0.920	0.180
Tonnes (Measured)	0.443	0.088	0.766	1.734	0.025	0.030	0.779	0.153
Available Data Points	8490	8490	8490	8490	8903	8903	7560	7560
Total Data Points	8928	8928	8928	8928	8928	8928	8928	8928
Capture Rate (%)	97.5	97.5	97.5	97.5	99.7	99.7	87.1	87.1

Tonnes per month (1 hr data)

	NO	NO ₂	NO _x	CO	PM _{2.5}	PM ₁₀	Met.	TNMHC
Tonnes (Corrected)	0.454	0.092	0.788	1.421	0.025	0.030	0.916	0.176
Tonnes (Measured)	0.447	0.091	0.776	1.400	0.025	0.030	0.804	0.155
Available Data Points	733	733	733	733	744	744	653	653
Total Data Points	744	744	744	744	744	744	744	744
Capture Rate (%)	98.5	98.5	98.5	98.5	100.0	100.0	87.8	87.8

Average hourly concentrations

	NO(mg/m ³)	NO ₂ (mg/m ³)	NO _x (mg/m ³)	CO(mg/m ³)	PM _{2.5} (µg/m ³)	PM ₁₀ (µg/m ³)	Met. (mg/m ³)	TNMHC (mg/m ³)
Minimum	0.00	0.00	0.12	0.00	0.00	0.00	1.05	0.00
Maximum	1.95	0.26	3.21	5.49	133.69	421.30	1.80	1.58
Average	0.62	0.12	1.08	1.96	32.85	39.44	1.22	0.24

Validation Table

March 2020 Data Validation					
Start Date	End Date	Affected Parameters	Reason for Change	Changed By	Date
1/03/2020 00:00	20/03/2020 13:40	CH4	Offset applied to data; Offset A: 0.8; Offset B: 0.8;	TA	7/04/2020
1/03/2020 00:00	31/03/2020 23:55	NO2, NOx	Offset applied to data; Offset A: 0.04; Offset B: 0.04;	TA	7/04/2020
3/03/2020 00:00	30/03/2020 12:50	All parameters	Intermittent not enough samples	TA	7/04/2020
9/03/2020 01:55	9/03/2020 16:45	CH4, NMHC	Instrument fault	TA	7/04/2020
9/03/2020 16:50	9/03/2020 17:10	CO, NO, NO2, NOx, CH4, NMHC	Maintenance	TA	7/04/2020
18/03/2020 01:35	18/03/2020 10:45	CO, NO, NO2, NOx, CH4, NMHC	Calibration system fault	TA	7/04/2020
20/03/2020 13:45	20/03/2020 17:10	CO, NO, NO2, NOx, CH4, NMHC	Maintenance	TA	7/04/2020
20/03/2020 17:15	31/03/2020 23:55	CO	Multiplier applied to data; Multiplier A: 1.104668, multiplier B: 1.104668;	TA	7/04/2020
20/03/2020 17:15	23/03/2020 09:50	CH4, NMHC	Instrument fault	TA	7/04/2020
23/03/2020 09:55	23/03/2020 10:50	CO, NO, NO2, NOx, CH4, NMHC	Maintenance	TA	7/04/2020
23/03/2020 10:55	31/03/2020 23:55	CH4	Offset applied to data; Offset A: 1.2; Offset B: 1.2;	TA	7/04/2020
23/03/2020 10:55	31/03/2020 23:55	CH4	Multiplier applied to data; Multiplier A: 0.9184845, multiplier B: 0.9184845;	TA	7/04/2020

This table identifies any data removed which is not automatically removed due to overnight calibration checks which are performed from 1:30 AM to 2:05 AM