



Cross City Tunnel  
Stack Emissions Monitoring Report  
April 2020

Ref: DR.2004CCT  
Issue Date: 8 May 2020  
Report prepared by: Tim Allfrey

Norditech Pty Ltd  
Unit 36/70 Holbeche Road  
Arndell Park NSW 2148

m: +61 403 248 038  
p: + 61 2 9622 6327  
f: +61 2 9622 6340  
bruno.nourdine@norditech.com.au  
www.norditech.com.au

**Document Control**

Revision	Date	Details	Prepared By	Approved By
0	8/05/2020	Original	TA	BN

Prepared by



Tim Allfrey  
 8 May 2020

Approved by



Bruno Nourdine  
 8 May 2020

**Distribution**

Format	Recipient	Details	Quantity
PDF	Brett Dixon	Brett.Dixon@ventia.com.au	1
PDF	Orla Manning	Orla.Manning@ventia.com.au	1

## Contents

Document Control.....	ii
Distribution .....	ii
Contents.....	iii
Executive Summary.....	2
Monitored Parameters .....	3
Glossary .....	4
Summary of results.....	5
Validation Table.....	6

## Executive Summary

Data capture rates can be found in the Summary of Results table on page 5. Explanations for missing data can be found in the Data Validation table on page 6.

There were no readings over the specified limits for the reporting period.

April 2020 Exceedances						
	Unit of measurement	Averaging Period	Total CO	Total NO <sub>x</sub>	Total PM <sub>10</sub>	Total VOC
<b>Concentration Limit</b>	mg/m <sup>3</sup>	1 hour	109	19	1	11
<b>Number of readings over limit</b>			0	0	0	0

## Monitored Parameters

The Cross City Tunnel Stack Emissions Monitoring System has been designed to continuously monitor for the following gaseous and particulate parameters:

- CO (Carbon Monoxide)
- NO (Nitrogen Oxide)
- NO<sub>2</sub> (Nitrogen Dioxide)
- NO<sub>x</sub> (Total Oxides of Nitrogen)
- Methane
- TNMHC (Total Non-Methane Hydrocarbons)
- PM<sub>10</sub> (Particulate matter less than 10 microns in aerodynamic equivalent diameter)
- PM<sub>2.5</sub> (Particulate matter less than 2.5 microns in aerodynamic equivalent diameter)

Atmospheric parameters also monitored in the stack are:

- Temperature (°C)
- Pressure (kPa)
- Velocity (m/s)
- Relative Humidity (%)

Data are recorded to a data logger at 5 minute averaging periods, calculated from 10 second samples. All data are retrieved periodically, at least once per 24 hours, over a private 3G network, to a central WinCollect database, where data validation is performed to remove any data not deemed as valid. Data validation is performed versus the relevant standard, and/or as per the instrument manufacturers recommended guidelines.

Nightly calibrations for the gaseous analysers are performed between 1:30am and 2:05am. This data is removed from the report automatically, and is not included in the Validation Table.

Parameter	Method	Last Calibration Date	Applicable Standard	Uncertainty
NO NO <sub>2</sub> NO <sub>x</sub>	Chemiluminescence	29/04/2020	AS 3580.5.1	± 0.008 mg/m <sup>3</sup> ± 0.005 mg/m <sup>3</sup> ± 0.005 mg/m <sup>3</sup>
CO	Gas filter correlation non-dispersive infrared photometer	29/04/2020	AS 3580.7.1	± 0.029 mg/m <sup>3</sup>
Methane TNMHC	Flame Ionisation Detection	29/04/2020	AS 3580.11.1	± 0.0164 mg/m <sup>3</sup>
PM <sub>10</sub>	Tapered Element Oscillating Microbalance	29/04/2020	AS3580.9/8 AS 4323.2 – 1995	± 3.6% of reading or ± 5µg/m <sup>3</sup> whichever is greater
PM <sub>2.5</sub>		29/04/2020		± 3.6% of reading or ± 5µg/m <sup>3</sup> whichever is greater
Stack Temperature	Vaisala HMP235a	11/10/2016	US EPA 454-99-005	± 0.25 °C
Stack Pressure	Pitot Tube	-		± 0.3 kPa
Relative Humidity	Vaisala HMP235a	11/10/2016		± 5%
Stack Velocity	Pitot Tube	-	ISO 10780	TBA

## Glossary

The following terms may be found throughout this report:

- NO – Nitric Oxide
- NO<sub>2</sub> – Nitrogen Dioxide
- NO<sub>x</sub> – Total Oxides of Nitrogen
- CO – Carbon Monoxide
- CH<sub>4</sub> - Methane
- PM<sub>10</sub> – Particulate Matter of 10 microns or less (aerodynamic equivalent diameter)
- PM<sub>2.5</sub> – Particulate Matter of 2.5 microns or less (aerodynamic equivalent diameter)
- MET – Methane
- TNMHC – Total Non Methane Hydrocarbons
- VOC – Volatile Organic Compounds
- ppb – Parts Per Billion
- ppm – Parts Per Million
- µg/m<sup>3</sup> – micrograms per cubic meter
- mg/m<sup>3</sup> – milligrams per cubic meter
- m/s – meters per second
- m<sup>3</sup>/s – cubic meters per second
- kg/hr – kilograms per hour
- g/5min – grams per 5 minutes

## Summary of results

### April 2020 Summary

#### Tonnes per month (5 minute data)

	NO	NO <sub>2</sub>	NO <sub>x</sub>	CO	PM <sub>2.5</sub>	PM <sub>10</sub>	Met.	TNMHC
<b>Tonnes (Corrected)</b>	<b>0.325</b>	<b>0.035</b>	<b>0.533</b>	<b>1.178</b>	<b>0.015</b>	<b>0.020</b>	<b>0.915</b>	<b>0.112</b>
<b>Tonnes (Measured)</b>	<b>0.306</b>	<b>0.033</b>	<b>0.502</b>	<b>1.110</b>	<b>0.015</b>	<b>0.019</b>	<b>0.833</b>	<b>0.102</b>
Available Data Points	8141	8141	8141	8141	8492	8492	7871	7871
Total Data Points	8640	8640	8640	8640	8640	8640	8640	8640
Capture Rate (%)	96.6	96.6	96.6	96.6	98.3	98.3	93.5	93.5

#### Tonnes per month (1 hr data)

	NO	NO <sub>2</sub>	NO <sub>x</sub>	CO	PM <sub>2.5</sub>	PM <sub>10</sub>	Met.	TNMHC
<b>Tonnes (Corrected)</b>	<b>0.316</b>	<b>0.035</b>	<b>0.519</b>	<b>0.916</b>	<b>0.015</b>	<b>0.019</b>	<b>0.912</b>	<b>0.109</b>
<b>Tonnes (Measured)</b>	<b>0.308</b>	<b>0.034</b>	<b>0.507</b>	<b>0.894</b>	<b>0.015</b>	<b>0.019</b>	<b>0.860</b>	<b>0.103</b>
Available Data Points	703	703	703	703	711	711	679	679
Total Data Points	720	720	720	720	720	720	720	720
Capture Rate (%)	97.6	97.6	97.6	97.6	98.8	98.8	94.3	94.3

#### Average hourly concentrations

	NO(mg/m <sup>3</sup> )	NO <sub>2</sub> (mg/m <sup>3</sup> )	NO <sub>x</sub> (mg/m <sup>3</sup> )	CO(mg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	PM <sub>10</sub> (µg/m <sup>3</sup> )	Met. (mg/m <sup>3</sup> )	TNMHC (mg/m <sup>3</sup> )
<b>Minimum</b>	0.01	0.00	0.05	0.00	0.00	0.00	0.98	0.00
<b>Maximum</b>	1.50	0.23	2.35	4.25	81.20	103.68	1.97	0.64
<b>Average</b>	0.44	0.05	0.73	1.29	20.10	26.28	1.23	0.15

## Validation Table

April 2020 Data Validation					
Start Date	End Date	Affected Parameters	Reason for Change	Changed By	Date
1/04/2020 00:00	8/04/2020 15:05	CH4	Multiplier applied to data; Multiplier A: 0.9184845; Multiplier B: 0.9184845;	TA	8/05/2020
1/04/2020 00:00	8/04/2020 15:05	CH4	Offset applied to data; Offset A: 1.2; Offset B: 1.2;	TA	8/05/2020
1/04/2020 00:00	29/04/2020 08:45	CO	Multiplier applied to data; Multiplier A: 1.100461; Multiplier B: 1.100461;	TA	8/05/2020
1/04/2020 21:30	30/04/2020 23:15	All parameters	Intermittent missing data	TA	8/05/2020
7/04/2020 10:00	7/04/2020 15:55	CO, NO, NO2, NOx, CH4, NMHC	Maintenance	TA	8/05/2020
8/04/2020 15:10	8/04/2020 18:20	CO, NO, NO2, NOx, CH4, NMHC	Maintenance	TA	8/05/2020
8/04/2020 18:25	30/04/2020 23:55	CH4	Offset applied to data; Offset A: 0.8; Offset B: 0.8;	TA	8/05/2020
29/04/2020 08:50	29/04/2020 18:40	CO, NO, NO2, NOx, CH4, NMHC, PM2.5, PM10	Maintenance	TA	8/05/2020

This table identifies any data removed which is not automatically removed due to overnight calibration checks which are performed from 1:30 AM to 2:05 AM