

Notification of Ambient above-goal reading

WestConnex M4 East

To be notified immediately to Project Company and RMS. Project Company is to notify DPE, EPA and NSW Health within 24 hours.

Date	19 November 2019	
Time (start and finish)	0000hrs to 0000hrs	
Relevant location	<input checked="" type="checkbox"/> Allen Street	<input checked="" type="checkbox"/> Powells Creek
	<input checked="" type="checkbox"/> St Lukes Park	<input checked="" type="checkbox"/> Concord Oval
	<input type="checkbox"/> Haberfield Public School	<input type="checkbox"/> Ramsay Street
Relevant goal	<input type="checkbox"/> CO – 8 hour rolling average of 9.0 ppm	
	<input type="checkbox"/> NO ₂ – One hour average of 0.12 ppm (245 µg/m ³)	
	<input checked="" type="checkbox"/> PM ₁₀ – 24 hour average of 50 µg/m ³	
	<input checked="" type="checkbox"/> PM _{2.5} – 24 hour average of 25 µg/m ³	
	<input type="checkbox"/> PM ₁₀ – Annual average of 25 µg/m ³	
	<input type="checkbox"/> PM _{2.5} – Annual average of 8 µg/m ³	
Above-goal reading Detail the above-goal reading that was received	PM₁₀ Allen Street: 70.6 µg/m ³ Concord Oval: 61.5 µg/m ³ Powells Creek: 64 µg/m ³ St Lukes Park: 67.4 µg/m ³	PM_{2.5} Allen Street: 57.8 µg/m ³ Concord Oval: 53.5 µg/m ³ Powells Creek: 63.3 µg/m ³ St Lukes Park: 51.3 µg/m ³
Duration Detail the duration of the above-goal reading or event	24hrs	
Nature of event Detail nature of the event that contributed to the above-goal reading	NSW RFS has indicated that bushfires in the Hawkesbury, particularly Wollemi National Park are currently burning and are affecting greater Sydneys air quality. OEH, Sydney-east air quality has exceeded the rolling 24-hour goal for PM ₁₀ - 50 µg/m ³ and PM _{2.5} - 25 µg/m ³ across all sites.	
Was the data valid? If unknown at this stage, please indicate. Refer section 5.2.1 of this Protocol.	Data is yet to be validated	
Was there an emergency? Refer section 3.1 of this Protocol. If this is unknown at this stage, please indicate.	No	
Measures employed Detail measures employed to minimise the concentration levels	All ventilation outlet monitoring results for the 19/11/19 were below the limits and goals specified.	
Commitment to prepare and submit a Report on Above-Goal Reading A Report on Above-Goal Reading will be prepared for this notification. Please note that a Report is not required in the event of an emergency.		
Person responsible for notification	Name: Peter Redwin	
	Position: Head of Operations and Maintenance	
	Organisation: WestConnex Transurban	