

#### **MINUTES**

#### Rozelle Interchange Air Quality Community Consultative Committee – Meeting 7

Date	29/11/2022		
Time	6.30pm – 7:25pm		
Venue	Videoconference		
Independent Chairperson	Abigail Goldberg	Chair and Director	GoldbergBlaise
Invitees	Peter Nvylt Ain Kalmus Ben Prag Brian Gorman Kendall Banfield Peter Morrall Robert Strong Charles Scarf Terry Chapman Karina Wilson Matthew Callander Verity Turner Peter Redwin	Community representative Community representative Community representative Community representative (apology) Senior Transport Planner Snr Manager Env & Sustainability Deputy Project Director, Rozelle Interchange Senior Manager Environment & Sustainability Project Director Community Engagement Advisor Fire Life Safety and Integration Environment and Planning Manager Head of Operations	Rozelle Rozelle Iron Cove Iron Cove Inner West Council Transport for NSW Transport for NSW JHCPB WestConnex WestConnex WestConnex WestConnex WestConnex WestConnex WestConnex
Apologies	Ashley Douglas Helena Keyworth Dr Ian Longley Antoinette Kovach Carla Poggioli Elena Busuttil Rob Sherry Aleksandra Young Katherine Purdy	Community representative Community representative Independent Air Quality Specialist Senior Comms and SE Manager Senior Comms and SE Manager Mechanical Engineer Team Leader Compliance Unit Head Regulatory Operations Sydney Metro Operations Officer	Rozelle Iron Cove NIWA NZ Transport for NSW JHCPB JHCPB DPE (Observer) NSW EPA (Observer) NSW EPA (Observer)

Agenda Items		Action
1.	Welcome and actions from previous meeting The Chair welcomed participants, acknowledged Country and advised apologies.	
	The Minutes from the previous meeting (Meeting 6, 9 August 2022) were distributed inter-session and are considered to be final.	
2.	<b>Declaration of interests</b> The Chair invited declarations of interest. None were put forward.	
	The Orial invited decial ations of interest. Notice were put forward.	
3.	Update on the monitoring stations Robert Strong provided an update on progress in relation to the air quality monitoring stations (AQMS), including photographs of the stations which are all now installed, online and transmitting data. Website details are provided at right.	https://airodis.ecotech.com.au/westco nnex3b/index.html
	Community representatives queried whether there had been any community response to the installation of the AQMS. Robert advised that there had been complaints regarding the noise of the air conditioning at Quirk Street from an adjoining resident. Interim noise reduction measures have been introduced as a result and a longer-term solution is being investigated.	

Agenda Items		Action
	Community representatives sought an understanding of what would happen with the concrete pads once the AQMS were decommissioned. The project team noted that this was some years off, however once the AQMS were decommissioned the pads will either be demolished or re-used depending on the circumstances. For example, a pad has been re-used at a school as the base for a storage shed.  Community representatives sought advice on how to interpret the online data, including real time data for each AQMS. Matthew Callander provided a demonstration of the website data and explained which data was collected as well as how it is measured and analysed. Discussion ensued to ensure community representatives were informed of the data sets.  Community representatives thanked Matthew for demonstrating the data. Matthew noted that he is able to further tailor data for analytical purposes if needed, and community representatives agreed to be in contact in this regard if required.	Community representatives to liaise via the Chair should further data sets be required.
5.	Project update:     Construction update An update on the status of the project was advised by Charles Scarf, who presented a slide deck including aerial photographs to illustrate the current state of works.  Community representatives queried the status of plans for residual property, including the potential for creation of further pocket parks. Peter Morrall advised that the plan was being prepared and it was agreed that an update on its status would be provided at the next meeting, noting that this is outside the remit of the AQCCC.  - Air quality complaints Charles Scarf advised that two air quality related complaints had been received from the same resident regarding dust on Lilyfield Road. The project team has followed up per protocols.  Draft Operational Air Quality Environmental Management Plan A high-level overview of the Draft Operational Air Quality	TfNSW to provide an update on plans for residual property at the next meeting.
	Environmental Management Plan was provided, noting that the Draft Plan had been transmitted ahead of the meeting. It was observed that the Draft Plan is consistent with equivalent Plans for other elements of the motorway eg M4-M5 Link. No questions or comments regarding the Draft Plan were raised. The Plan will now progress to being finalised and transmitted to DPE.	
6.	Other items:  - Upcoming CoAs requiring AQCCC input  Verity Turner advised that the project was up to date for 2022 with regard to addressing CoAs and had also exceeded the minimum quota of four meetings required for the AQCCC.  - Next meeting date  The next meeting date is proposed as 7 March 2023. Community representatives are asked to advise the Chair should this date not be suitable.  - Questions  There were no further questions.	The next meeting is proposed for 7 March 2023. Community representatives are asked to advise the Chair should this date not be suitable.

Agenda Items		Action
7.	Thanks and close The Chair thanked participants for their contributions. The meeting was closed at 7:25pm.	



### Rozelle Interchange

Air Quality Community Consultative Committee

Meeting 7 29 November 2022


### **Agenda**


- Welcome and actions from previous meeting
- Update on monitoring stations
- Project update
- Draft Operation Air Quality Management Plan consultation
- Other items:
  - Upcoming tasks for AQCCC input
  - Next meeting date
  - Questions




# Update on Ambient Air Quality Monitoring Stations: Transport for NSW


### Air quality monitoring stations update





## Air quality monitoring stations update







# Project update: JHCPB





Victoria Rd / The Crescent intersection






**RRY Ventilation Facility and the Crescent bridges** 





**Brennan St Bridge and Motorway Operations Complex** 





Victoria Rd Iron Cove

### Air quality complaints received

Two air quality complaints received since the last meeting:

- Dust complaint from a resident in Lilyfield Road in September
- Dust complaint from a resident in Lilyfield Road in October.





# **Draft Operation Air Quality Management Plan – consultation with AQCCC: JHCPB**



#### Documents for AQCCC review:

- Ambient Air Quality Goal Protocol ~ DPE Approval issued
- Operational Air Quality Management Plan provided prior to this meeting



## Other items

### **CoAs requiring AQCCC input**

**CoA E2** – requires that the AQCCC review and provide advice on the following documents as they relate to air quality:

- Location of AQMS completed
- Operational Environmental Management Plan and other operation stage documents
- Compliance Tracking Reporting
- Audit reports
- Complaints

Upcoming items for AQCCC review:

 Consultation with the NSW EPA and AQCCC regarding the proposed auditor required for Quality Auditing and Quality Assurance (CoA E38)

### **Other items**

Next meeting date Questions